

Message

From: Jaschek, Becky [Rebecca.Jaschek@tpcgrp.com]
Sent: 12/4/2019 8:48:18 AM
To: Patel, Anish [patel.anish@epa.gov]
Subject: FW: ***External E-Mail*** Preliminary Water Summary - Nov 27-Dec 1, 2019
Attachments: ATT00001.txt; 112312_South Group 4 Fire_Prelim Water Summary_03Dec2019.pdf

Now including you on the distribution.

Thank you.

Becky Jaschek

Rebecca Jaschek | Corporate Environmental Manager



Quality Products. Dependable Services.

Houston Operations | 8600 Park Place Boulevard | Houston, Texas 77017
Dir: 713.475.7422 | Cell: 281.813.9726 | www.tpcgrp.com

From: Jaschek, Becky
Sent: Wednesday, December 04, 2019 2:32 AM
To: adams.adam@epa.gov; Alicia.D.Rea@usace.army.mil; andrew.tucker@acadian.com; autumn-brown@att.net; bhenderson@responseinc.com; bmarcum@tfs.tamu.edu; Brechtel, Scott (Scott.Brechtel@tpcgrp.com) <Scott.Brechtel@tpcgrp.com>; Broomes, Ebunoluwa <Ebunoluwa.Broomes@tpcgrp.com>; bruce.guyote@cbp.dhs.gov; Clifton, Christina <Christina.Clifton@tpcgrp.com>; daniel.powers@acadian.com; daniel.tighe@westonsolutions.com; dmiller@co.jefferson.tx.us; Dorsa, Clayton <Clayton.Dorsa@tpcgrp.com>; eburleigh@acadian.com; edward.norman@tdem.texas.gov; emily.bourg@tceq.texas.gov; hope.davila@tceq.texas.gov; jacqueline.m.twomey@uscg.mil; james.collins@westonsolutions.com; Jaschek, Becky <Rebecca.Jaschek@tpcgrp.com>; jmatel@tfs.tamu.edu; jose.ojeda@westonsolutions.com; kathy.sauceda@tceq.texas.gov; loesel.matthew@epa.gov; mcarter@tfs.tamu.edu; mike.jones@tdem.texas.gov; mkelly@responseinc.com; mmclellan@co.jefferson.tx.us; mwhite@co.jefferson.tx.us; mwilliams@tfs.tamu.edu; rgrimm@co.jefferson.tx.us; ronald.hebert@tceq.texas.gov; rouse.philip@epa.gov; ryan.lytle@glo.texas.gov; Sanders, Jason <Jason.Sanders2@tpcgrp.com>; sarah.kirksey@tceq.texas.gov; wes.wilson@tfs.tamu.edu
Cc: Monk, Troy <Troy.Monk@tpcgrp.com>; Wright, Michael <Michael.Wright@tpcgrp.com>; Park, Johnny <Johnny.Park@tpcgrp.com>; LaFollette, Michael <Michael.LaFollette@tpcgrp.com>
Subject: FW: ***External E-Mail*** Preliminary Water Summary - Nov 27-Dec 1, 2019

Please find the attached preliminary Water Summary for Nov 27 – Dec 1.

Thank you.

Becky Jaschek

Rebecca Jaschek | Corporate Environmental Manager



Quality Products. Dependable Services.

Houston Operations | 8600 Park Place Boulevard | Houston, Texas 77017
Dir: 713.475.7422 | Cell: 281.813.9726 | www.tpcgrp.com

From: Angela Perez <aperez@cteh.com>

Sent: Tuesday, December 03, 2019 7:45 PM

To: Sanders, Jason <Jason.Sanders2@tpcgrp.com>; Jaschek, Becky <Rebecca.Jaschek@tpcgrp.com>; Brechtel, Scott <Scott.Brechtel@tpcgrp.com>; Hope Davila <Hope.Davila@tceq.texas.gov>; jillian.layton@tceq.texas.gov; Adams, Adam <Adams.Adam@epa.gov>; loesel.matthew@epa.gov

Cc: Shawn Wnek <swnek@cteh.com>

Subject: ***External E-Mail*** Preliminary Water Summary - Nov 27-Dec 1, 2019

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and their e-mail address and know the content is safe.

Hello Team,

A preliminary summary of the water analyses based on CTEH water sampling operations from November 27, 2019 to December 1, 2019, is attached. Please note that CTEH is still in the process of data validation and QC of the Earth Analytical Samples. Please don't hesitate to reach out with questions.

Sincerely,

Angie Perez, PhD

Senior Toxicologist

CTEH, LLC

Direct: 541-901-9000

Emergency Response 24-Hour Hotline: +1(866) 869-2834

aperez@cteh.com | www.cteh.com

NOTICE: The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. This message may contain information confidential and proprietary to TPC Group, and may be an attorney-client communication, work product, and/or otherwise be privileged and confidential. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.